

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1. (Currently amended) A method of answering an incoming call with a communication device having a selectively connectable voice interface and a user interface, said method comprising the steps of:

- (a) detecting said incoming call;
- (b) detecting a connection state of said selectively connectable voice interface;
- (c) connecting to said incoming call in response to an interaction at said user interface, if said connection state is connected; and
- (d) if said connection state is disconnected, answering said incoming call in response to ~~at least one of an interaction at said user interface and~~ a change in said connection state.

2. (Currently amended) A method of initiating a call with a communication device having a selectively connectable voice interface and a user interface, said method comprising the steps of:

- (a) originating a request for said call in response to a user command;
- (b) detecting a connection state of said voice interface at the time of said request;
- (c) initiating said call in response to a command at said user interface, if said connection state is connected; and

(d) if said connection state is disconnected, alerting said user of said disconnected state.

3. (Original) The method of claim 2 further comprising the step of initiating said call in response to a change in said connection state from disconnected to connected.

4. (Original) The method of claim 2 wherein the step of originating a request for said call in response to a user command comprises the steps of:

- (a) detecting said connection state of said voice interface;
- (b) displaying a dialing interface if said connection state is connected, and
- (c) if said connection state is disconnected, displaying said dialing interface in response to user interaction with said user interface.

5. (Original) The method of claim 4 further comprising the step of initiating said call in response to a change in said connection state from disconnected to connected.

6. (Currently amended) A method of initiating a call with a communication device having a selectively connectable voice interface and a user interface, said method comprising the steps of:

- (a) detecting a connection state of said voice interface;
- (b) displaying a dialing interface if said connection state is connected,

(c) if said connection state is disconnected, displaying said dialing interface in response to user interaction with said user interface.

(d) originating a request for said call in response to a user command;

(e) detecting a connection state of said voice interface at the time of said request;

(f) initiating said call in response to a command at said user interface, if said connection state is connected;

(g) if said connection state is disconnected, alerting said user of said disconnected state; and

(h) thereafter, initiating said call in response to a change in said connection from a disconnected state to a connected state.